


DOT PEEN PORTABLE MARKING SYSTEM E10 P63



**Professional
Tooling AS**

Professional distributor of cutting tools

Tooling.no | Plattformvegen 2, 4056 Tananger

DOT PEEN PORTABLE MARKING SYSTEM

E10 P63



**Professional
Tooling AS**

Professional distributor of cutting tools

+ ULTRA COMPACT

- Handy and balanced
- Ergonomic handle
- Lightweight (3,2 kg - 6.1 lbs)
- Marking window 60 x 25 mm - 2.4 x 1 in

+ POWERFUL

- Fully programmable
- Latest microcontroller generation: ultra fast start and navigation
- History and self diagnostic functions (maintenance, configuration and statistics support)
- e10 SICTOOL Software Suite: file creation and edition from a PC

+ POLYVALENT

- Marking on difficult to access parts
- Marking speed and power
- Precise and accurate guides
- Marking on all types of materials and difficult surface conditions

+ **Booster Option available**

+ ROBUST AND RELIABLE

- Light and robust cast aluminium body and handle



APPLICATIONS



DOT PEEN MARKING EXAMPLES



DOT PEEN PORTABLE MARKING SYSTEM

TECHNICAL & MECHANICAL FEATURES





**Professional
Tooling AS**

Professional distributor of cutting tools

e10 p63

Marking window	60 x 25 mm - 2.4 x 1 in
External dimensions	139 x 261 x 211 mm - 5.5 x 10.3 x 8.3 in
Weight	3,2 kg - 6.6 lbs
Stylus	Tungsten carbide
Machine / controller cable length	7,5 m - 23 ft (10 m - 32.8 ft and 15 m - 49.2 ft optional)



OPTIONS




Cart on battery



Hook and balancing
system



Column base



Booster card for
deep marking



Magnetic front plate



Maintenance kit



Wireless barcode
reader



Datamatrix reader



Rotary axis

Please consult us if a specific configuration is not published in the table attached.

SIC Marking designs customized and turnkey solutions for all industrial sectors. Our design offices produce machines in compliance with your specifications and your industrial standards.

DOT PEEN PORTABLE MARKING SYSTEM E10 CONTROL UNIT



**Professional
Tooling AS**
Professional distributor of cutting tools

The e10 controller

- Color screen
- USB Port: to easily upload / download your marking files
- Fully programmable
- Standalone (no PC needed)
- Membrane protected industrial Keyboard
- IP40 waterproof box (no opening or fan)



+ Multiple connectivities



+ Color screen



+ USB Port



Technical & electronic features


e10 Controller		Communication	
Dimensions	322 x 380 x 112 mm - 13.7 x 15 x 4.4 in	Communication ports	RS232, RS422, USB, RS485 Profibus, TCP/IP, Ethernet/IP
Weight	5 kg - 11lbs	Inputs-outputs	8/8
LCD screen resolution	480 x 272 pixels	External keyboard input	USB
Keyboard	Qwerty integrated, protected by membrane	PC software	Creation of marking files, transfer controller / PC or USB key
Power	300 Watt	Optional communication cards:	
Power supply	Single phase, 85 to 260 VAC, 50 to 60 Hz		
Controlled axes	2 (optional 3rd / 4th axis card)	Ethernet TCP	
Operating temperature	From 5 to 40°C		

Ethernet TCP




PC UTILITIES

File editor




+ Creation or modification of files on PC.

Creation of logos



+ Creation of vector and matrix logos.

Creation of logos



+ Backup and file transfer utility.

DOT PEEN PORTABLE MARKING SYSTEM


E10 RANGE SOFTWARE

Software features

Text function	Incrementation, date codes
Logos	Download from a PC or USB key
Datamatrix	Up to 348 characters, 48 x 48 dots
Fonts	Arial, Comic, Comic_B, Courier, OCR, OCR_BOLD, OCRA, 4x6
Style	Angular, Radial, Inverse, and Mirror
Character Size	From 0,1 mm to 99 mm (limited following marking window)
Depth	Up to 0,3 mm (according to the material)
Resolution Between Dots	0,05 mm MAX
Password	2 security levels
History function	Exportable Excel file
Help with maintenance	Auto diagnosis
Available languages	17



Graphic view



Edit menu

I/O SETTING		
Num	Input	Output
1	STOP	Cycle
2	START	Last
3	File Sel.	Error
4	File Sel.	Pause
5	File Sel.	Ready
6	None	NoPart
7	None	Part
8	None	Wear

CONTROLLER STATISTICS		
Moves		memory
36 Cycles		35 Files
117 Characters		26900 b. Used
AXIS X 6 m		493134 b. Free
AXIS Y 6 m		5.2 % Used

Impacts		
D1: 1012	D4: 1719	D7: 0
D2: 0	D5: 34	D8: 0
D3: 376	D6: 0	D9: 411

PC software for directly controlling the marking machine.


Available functions:

- Editing of marking files
- Input / output management
- History function and anti duplicates
- Datamatrix ECC200 and UID

...

OPTIONAL WINSIC SOFTWARE


WINSIC is a PC software for direct control of the marking machine.



+ Built-in logo design utility

+ Database Management (Excel, Access, txt)

+ Insertion of background images





Professional Tooling AS

Professional distributor of cutting tools



BESTILLINGER GJØRES TIL:

Bjørnar Log

*Tool Management Leader
SIC-Marking Product Manager*

+47 919 15 254

bjornar.log@tooling.no

Professional Tooling AS | Tooling.no
Plattformvegen 2, 4056 Tananger